WEST Search History

Hide Items Restore Clear Cancel

DATE: Friday, June 24, 2005

Hide?	Hide? <u>Set Name</u> <u>Query</u>				
	DB=PC	GPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ			
	L17	L16 and temperature	7		
	L16	L15 and strip	7		
	L15	422/\$.ccls. and (thermometer with strip) and (wash\$ or snita\$)	7		
	L14	422/56.ccls. and (thermometer with strip)	5		
	L13	422/\$.ccls. and (thermomether with strip)	· 0		
	L12	422/56.ccls. and (thermomether with strip)	0		
	L11 [°]	422/56/ccls. and (thermomether with strip)	0		
	L10	3324723	20		
	L9	L6 and 435/\$.ccls.	12		
	L8	L6 and 134/\$.ccls.	1		
	L7	L6 and 422/\$.ccls.	5		
	L6	(peak temperature) and medical and (washing or sanit\$ or disinfect\$)	228		
	L5	(peak temperature) and (washing or sanit\$ or disinfect\$)	1665		
	L4 .	L3 and (washing or sanit\$ or disinfect\$)	9		
	L3	L2 and medical	67 [.]		
	L2	disposable thermometer	144		
	L1	irreversible with thermometer	27		

END OF SEARCH HISTORY

WEST Search History

Hide Items Restore Clear Cancel

DATE: Friday, June 24, 2005

Hide?	Set Name	Query	Hit Count
	DB=USP	T; PLUR=YES	; OP=ADJ
	L13	4448750.pn.	1
	L12	4779995.pn.	1
	L11	4975246.pn.	1
	L10	5282683.pn.	1
	, L9	5380369.pn.	1
	L8 .	5425815.pn.	1
	L7 '	5453245.pn.	. 1
	L6	5539673.pn.	1
	L5	5676465.pn.	1
	L4	5759486.pn.	1
	L3	6257759.pn.	1
	L2	6461037.pn.	1,
	Ll	6491774.pn.	1

END OF SEARCH HISTORY

First Hit Fwd Refs

Previous Doc Next Doc Go to Doc# Print

Generate Collection

L1: Entry 4 of 27

File: USPT

Apr 11, 1995

DOCUMENT-IDENTIFIER: US 5404834 A TITLE: Temperature indicating device

Brief Summary Text (4):

There are a number of different devices available that indicate when a predetermined or rated temperature has been exceeded. These include the following: (1) non-reversible labels with an indicator dot that changes color, e.g., turns black, at a rated temperature; (2) temperature indicating tabs, crayons, lacquers and pellets that indicate a temperature increase by melting; (3) irreversible labels and monitors that change color (e.g., turn black) at the temperature rating and also register the temperature history of the area; (4) melting point standards that melt at precise temperatures; and (5) reversible labels and liquid crystal thermometers that behave like conventional thermometers to provide the present temperature of an object.

> Previous Doc Go to Doc# Next Doc

#	Search Query	DBs	Default Operator	Plurals	Time Stamp
	 134/18.ccls. or 134/30.ccls. or		ADJ	UFF	
	422/56.ccls. or 134/57d.ccls.	USPAT;			